ELSEVIER

Brain Research 722 (1996) 236–237

BRAIN RESEARCH

Author Index

Abraham, W.C., Mason-Parker, S.E. and Logan, B.
Low-frequency stimulation does not readily cause long-term depression or depotentiation in the dentate gyrus of awake rats (722) 217
Akaishi, T., Shiomi, T., Sawada, H. and Yokosawa, H.
Purification and properties of the 26S proteasome from the rat brain: Evidence for its degradation of myelin basic protein in a ubiquitin-dependent manner (722) 139
Arai, R., Karasawa, N. and Nagatsu, I.
Dopamine produced from L-DOPA is degraded by endogenous monoamine oxidase in neurons of the dorsal raphe nucleus of the rat: an immunohistochemical study (722) 181
Aslan, N., see Gören, Z. (722) 118
Azmitia, E.C., see Nishi, M. (722) 190

Badiani, A., see Crombag, H.S. (722) 227
Baldauf, J., see Jurna, I. (722) 132
Berkman, K., see Gören, Z. (722) 118
Bilfinger, T.V., see Liu, Y. (722) 125
Bogdanovic, N., see Pirttilä, T. (722) 71
Bonilla, C., see Dajas-Bailador, F. (722) 12
Burdette, L.J., Hart, G.J. and Masukawa, L.M.
Changes in dentate granule cell field potentials during afterdischarge initiation triggered by 5 Hz perforant path stimulation (722) 39
Burke, W.J., Schmitt, C.A., Gillespie, K.N. and Li, S.W.
Norepinephrine transmitter metabolite is a selective cell death messenger in differentiated rat pheochromocytoma cells (722) 232

Caruncho, H.J., Liste, I. and Labandeira-García, J.L.
$GABA_A$ receptor α_1-subunit-immunopositive neurons in the rat striatum (722) 185
Chase, M.H., see Kohlmeier, K.A. (722) 30
Conti, L.H. and Foote, S.L.
Reciprocal cross-desensitization of locus coeruleus electrophysiological responsivity to corticotropin-releasing factor and stress (722) 19
Costa, G., see Dajas-Bailador, F. (722) 12
Crombag, H.S., Badiani, A. and Robinson, T.E.
Signalled versus unsignalled intravenous amphetamine: large differences in the acute psychomotor response and sensitization (722) 227

Dajas-Bailador, F., Costa, G., Emmett, S., Bonilla, C. and Dajas, F.
Acetylcholinesterase inhibitors block acetylcholine-evoked release of dopamine in rat striatum, in vivo (722) 12
Dajas, F., see Dajas-Bailador, F. (722) 12
Dorsa, D.M., see Neumaier, J.F. (722) 50

Eke, B.C., see Maines, M.D. (722) 83
Emmett, S., see Dajas-Bailador, F. (722) 12

Fang, F. and Proudfit, H.K.
Spinal cholinergic and monoamine receptors mediate the antinociceptive effect of morphine microinjected in the periaqueductal gray on the rat tail, but not the feet (722) 95
Fleischer, W., see Jurna, I. (722) 132
Foote, S.L., see Conti, L.H. (722) 19
Fukuda, T., see Masuyama, T. (722) 200
Futaki, S., see Tsuruo, Y. (722) 207

Gafni, M., see Sarne, Y. (722) 203
Gillespie, K.N., see Burke, W.J. (722) 232
Goeders, N.E. and Guerin, G.F.
Effects of surgical and pharmacological adrenalectomy on the initiation and maintenance of intravenous cocaine self-administration in rats (722) 145
Gören, Z., Aslan, N., Berkman, K., Oktay, Ş. and Onat, F.
The role of amygdala and hypothalamus in $GABA_A$ antagonist bicuculline-induced cardiovascular responses in conscious rats (722) 118
Guerin, G.F., see Goeders, N.E. (722) 145

Hamblin, M.W., see Neumaier, J.F. (722) 50
Hao, J.-X., Yu, W., Xu, X.-J. and Wiesenfeld-Hallin, Z.
Capsaicin-sensitive afferents mediate chronic cold, but not mechanical, allodynia-like behavior in spinally injured rats (722) 177
Hart, G.J., see Burdette, L.J. (722) 39
Heinonen, O., see Pirttilä, T. (722) 71
Ho, I.K., see Tokuyama, S. (722) 212
Hoffer, B.J., see Shinoda, M. (722) 153
Hofman, M.A., Zhou, J.-N. and Swaab, D.F.
No evidence for a diurnal vasoactive intestinal polypeptide (VIP) rhythm in the human suprachiasmatic nucleus (722) 78
Huang, Y.-L., Onodera, H., Takeda, A., Itoyama, Y. and Kogure, K.
The effect of long-term post-ischemic bifemelane hydrochloride treatment on cholinergic systems in the gerbil hippocampus (722) 195

Ishimura, K., see Tsuruo, Y. (722) 207
Itoyama, Y., see Huang, Y.-L. (722) 195
Iwashita, T., see Masuyama, T. (722) 200

Jadhao, A.G., see Meyer, D.L. (722) 222
Johnson, P.I., Parente, M.A. and Stellar, J.R.
NMDA-induced lesions of the nucleus accumbens or the ventral pallidum increase the rewarding efficacy of food to deprived rats (722) 109
Jurna, I., Baldauf, J. and Fleischer, W.
Depression by morphine-6-glucuronide of nociceptive activity in rat thalamus neurons: comparison with morphine (722) 132

Karasawa, N., see Arai, R. (722) 181
Kicliter, E., see Meyer, D.L. (722) 222
Kitagawa, K., see Tsuruo, Y. (722) 207
Kogure, K., see Huang, Y.-L. (722) 195
Kohlmeier, K.A., López-Rodríguez, F., Liu, R.-H., Morales, F.R. and Chase, M.H.
State-dependent phenomena in cat masseter motoneurons (722) 30
Kosunen, O., see Pirttilä, T. (722) 71

Labandeira-García, J.L., see Caruncho, H.J. (722) 185
Lehtimäki, T., see Pirttilä, T. (722) 71
Li, S.W., see Burke, W.J. (722) 232
Liste, I., see Caruncho, H.J. (722) 185
Liu, R.-H., see Kohlmeier, K.A. (722) 30
Liu, Y., Shenouda, D., Bilfinger, T.V., Stefano, M.L., Magazine, H.I. and Stefano, G.B.
Morphine stimulates nitric oxide release from invertebrate microglia (722) 125
Logan, B., see Abraham, W.C. (722) 217
López-Rodríguez, F., see Kohlmeier, K.A. (722) 30
Lorra, C., see Madeja, M. (722) 59

ELSEVIER

Brain Research 722 (1996) 236–237

BRAIN RESEARCH

Author Index

Abraham, W.C., Mason-Parker, S.E. and Logan, B.
Low-frequency stimulation does not readily cause long-term depression or depotentiation in the dentate gyrus of awake rats (722) 217
Akaishi, T., Shiomi, T., Sawada, H. and Yokosawa, H.
Purification and properties of the 26S proteasome from the rat brain: Evidence for its degradation of myelin basic protein in a ubiquitin-dependent manner (722) 139
Arai, R., Karasawa, N. and Nagatsu, I.
Dopamine produced from L-DOPA is degraded by endogenous monoamine oxidase in neurons of the dorsal raphe nucleus of the rat: an immunohistochemical study (722) 181
Aslan, N., see Gören, Z. (722) 118
Azmitia, E.C., see Nishi, M. (722) 190

Badiani, A., see Crombag, H.S. (722) 227
Baldauf, J., see Jurna, I. (722) 132
Berkman, K., see Gören, Z. (722) 118
Bilfinger, T.V., see Liu, Y. (722) 125
Bogdanovic, N., see Pirttilä, T. (722) 71
Bonilla, C., see Dajas-Bailador, F. (722) 12
Burdette, L.J., Hart, G.J. and Masukawa, L.M.
Changes in dentate granule cell field potentials during afterdischarge initiation triggered by 5 Hz perforant path stimulation (722) 39
Burke, W.J., Schmitt, C.A., Gillespie, K.N. and Li, S.W.
Norepinephrine transmitter metabolite is a selective cell death messenger in differentiated rat pheochromocytoma cells (722) 232

Caruncho, H.J., Liste, I. and Labandeira-García, J.L.
$GABA_A$ receptor α_1-subunit-immunopositive neurons in the rat striatum (722) 185
Chase, M.H., see Kohlmeier, K.A. (722) 30
Conti, L.H. and Foote, S.L.
Reciprocal cross-desensitization of locus coeruleus electrophysiological responsivity to corticotropin-releasing factor and stress (722) 19
Costa, G., see Dajas-Bailador, F. (722) 12
Crombag, H.S., Badiani, A. and Robinson, T.E.
Signalled versus unsignalled intravenous amphetamine: large differences in the acute psychomotor response and sensitization (722) 227

Dajas-Bailador, F., Costa, G., Emmett, S., Bonilla, C. and Dajas, F.
Acetylcholinesterase inhibitors block acetylcholine-evoked release of dopamine in rat striatum, in vivo (722) 12
Dajas, F., see Dajas-Bailador, F. (722) 12
Dorsa, D.M., see Neumaier, J.F. (722) 50

Eke, B.C., see Maines, M.D. (722) 83
Emmett, S., see Dajas-Bailador, F. (722) 12

Fang, F. and Proudfit, H.K.
Spinal cholinergic and monoamine receptors mediate the antinociceptive effect of morphine microinjected in the periaqueductal gray on the rat tail, but not the feet (722) 95
Fleischer, W., see Jurna, I. (722) 132
Foote, S.L., see Conti, L.H. (722) 19
Fukuda, T., see Masuyama, T. (722) 200
Futaki, S., see Tsuruo, Y. (722) 207

Gafni, M., see Sarne, Y. (722) 203
Gillespie, K.N., see Burke, W.J. (722) 232
Goeders, N.E. and Guerin, G.F.
Effects of surgical and pharmacological adrenalectomy on the initiation and maintenance of intravenous cocaine self-administration in rats (722) 145
Gören, Z., Aslan, N., Berkman, K., Oktay, Ş. and Onat, F.
The role of amygdala and hypothalamus in $GABA_A$ antagonist bicuculline-induced cardiovascular responses in conscious rats (722) 118
Guerin, G.F., see Goeders, N.E. (722) 145

Hamblin, M.W., see Neumaier, J.F. (722) 50
Hao, J.-X., Yu, W., Xu, X.-J. and Wiesenfeld-Hallin, Z.
Capsaicin-sensitive afferents mediate chronic cold, but not mechanical, allodynia-like behavior in spinally injured rats (722) 177
Hart, G.J., see Burdette, L.J. (722) 39
Heinonen, O., see Pirttilä, T. (722) 71
Ho, I.K., see Tokuyama, S. (722) 212
Hoffer, B.J., see Shinoda, M. (722) 153
Hofman, M.A., Zhou, J.-N. and Swaab, D.F.
No evidence for a diurnal vasoactive intestinal polypeptide (VIP) rhythm in the human suprachiasmatic nucleus (722) 78
Huang, Y.-L., Onodera, H., Takeda, A., Itoyama, Y. and Kogure, K.
The effect of long-term post-ischemic bifemelane hydrochloride treatment on cholinergic systems in the gerbil hippocampus (722) 195

Ishimura, K., see Tsuruo, Y. (722) 207
Itoyama, Y., see Huang, Y.-L. (722) 195
Iwashita, T., see Masuyama, T. (722) 200

Jadhao, A.G., see Meyer, D.L. (722) 222
Johnson, P.I., Parente, M.A. and Stellar, J.R.
NMDA-induced lesions of the nucleus accumbens or the ventral pallidum increase the rewarding efficacy of food to deprived rats (722) 109
Jurna, I., Baldauf, J. and Fleischer, W.
Depression by morphine-6-glucuronide of nociceptive activity in rat thalamus neurons: comparison with morphine (722) 132

Karasawa, N., see Arai, R. (722) 181
Kicliter, E., see Meyer, D.L. (722) 222
Kitagawa, K., see Tsuruo, Y. (722) 207
Kogure, K., see Huang, Y.-L. (722) 195
Kohlmeier, K.A., López-Rodríguez, F., Liu, R.-H., Morales, F.R. and Chase, M.H.
State-dependent phenomena in cat masseter motoneurons (722) 30
Kosunen, O., see Pirttilä, T. (722) 71

Labandeira-García, J.L., see Caruncho, H.J. (722) 185
Lehtimäki, T., see Pirttilä, T. (722) 71
Li, S.W., see Burke, W.J. (722) 232
Liste, I., see Caruncho, H.J. (722) 185
Liu, R.-H., see Kohlmeier, K.A. (722) 30
Liu, Y., Shenouda, D., Bilfinger, T.V., Stefano, M.L., Magazine, H.I. and Stefano, G.B.
Morphine stimulates nitric oxide release from invertebrate microglia (722) 125
Logan, B., see Abraham, W.C. (722) 217
López-Rodríguez, F., see Kohlmeier, K.A. (722) 30
Lorra, C., see Madeja, M. (722) 59

Madeja, M., Mußhoff, U., Lorra, C., Pongs, O. and Speckmann, E.-J.
Mechanism of action of the epileptogenic drug pentylenetetrazol on a cloned neuronal potassium channel (722) 59
Magazine, H.I., see Liu, Y. (722) 125
Maines, M.D., Eke, B.C. and Zhao, X.
Corticosterone promotes increased heme oxygenase-2 protein and transcript expression in the newborn rat brain (722) 83
Mason-Parker, S.E., see Abraham, W.C. (722) 217
Masukawa, L.M., see Burdette, L.J. (722) 39
Masuyama, T., Shimizu, T., Iwashita, T., Yoshimura, N. and Fukuda, T.
Spinal antinociceptive effect of substance P on the responses induced by intrathecally injected NMDA in mice (722) 200
Mehta, P.D., see Pirttilä, T. (722) 71
Meyer, D.L., Jadhao, A.G. and Kicliter, E.
Soybean agglutinin binding by primary olfactory and primary accessory olfactory projections in different frogs (722) 222
Miyamoto, T., see Tsuruo, Y. (722) 207
Morales, F.R., see Kohlmeier, K.A. (722) 30
Mußhoff, U., see Madeja, M. (722) 59

Nagatsu, I., see Arai, R. (722) 181
Neumaier, J.F., Szot, P., Peskind, E.R., Dorsa, D.M. and Hamblin, M.W.
Serotonergic lesioning differentially affects presynaptic and postsynaptic 5-HT_{1B} receptor mRNA levels in rat brain (722) 50
Nishi, M. and Azmitia, E.C.
5-HT_{1A} receptor expression is modulated by corticosteroid receptor agonists in primary rat hippocampal culture (722) 190

Oktay, Ş., see Gören, Z. (722) 118
Olson, L., see Shinoda, M. (722) 153
Onat, F., see Gören, Z. (722) 118
Onodera, H., see Huang, Y.-L. (722) 195

Paljärvi, L., see Pirttilä, T. (722) 71
Parente, M.A., see Johnson, P.I. (722) 109
Peskind, E.R., see Neumaier, J.F. (722) 50
Pettus, E.H. and Povlishock, J.T.
Characterization of a distinct set of intraaxonal ultrastructural changes associated with traumatically induced alteration in axolemmal permeability (722) 1
Pirttilä, T., Soininen, H., Heinonen, O., Lehtimäki, T., Bogdanovic, N., Paljärvi, L., Kosunen, O., Winblad, B., Riekkinen Sr., P., Wisniewski, H.M. and Mehta, P.D.
Apolipoprotein E (apoE) levels in brains from Alzheimer disease patients and controls (722) 71
Pongs, O., see Madeja, M. (722) 59
Povlishock, J.T., see Pettus, E.H. (722) 1
Proudfit, H.K., see Fang, F. (722) 95

Riekkinen Sr., P., see Pirttilä, T. (722) 71
Robinson, T.E., see Crombag, H.S. (722) 227

Sarne, Y. and Gafni, M.
Determinants of the stimulatory opioid effect on intracellular calcium in SK-N-SH and NG108-15 neuroblastoma (722) 203
Sawada, H., see Akaishi, T. (722) 139
Schmitt, C.A., see Burke, W.J. (722) 232
Shenouda, D., see Liu, Y. (722) 125
Shimizu, T., see Masuyama, T. (722) 200
Shinoda, M., Hoffer, B.J. and Olson, L.
Interactions of neurotrophic factors GDNF and NT-3, but not BDNF, with the immune system following fetal spinal cord transplantation (722) 153
Shiomi, T., see Akaishi, T. (722) 139
Soininen, H., see Pirttilä, T. (722) 71
Speckmann, E.-J., see Madeja, M. (722) 59
Stefano, G.B., see Liu, Y. (722) 125
Stefano, M.L., see Liu, Y. (722) 125
Stellar, J.R., see Johnson, P.I. (722) 109
Swaab, D.F., see Hofman, M.A. (722) 78
Swerdlow, N.R., see Wan, F.-J. (722) 168
Szot, P., see Neumaier, J.F. (722) 50

Takeda, A., see Huang, Y.-L. (722) 195
Tokuyama, S. and Ho, I.K.
Inhibitory effects of diltiazem, an L-type Ca^{2+} channel blocker, on naloxone-increased glutamate levels in the locus coeruleus of opioid-dependent rats (722) 212
Tsuruo, Y., Miyamoto, T., Yokoi, H., Kitagawa, K., Futaki, S. and Ishimura, K.
Immunohistochemical presence of 5α-reductase rat type 1-containing cells in the rat brain (722) 207

Wan, F.-J. and Swerdlow, N.R.
Sensorimotor gating in rats is regulated by different dopamine–glutamate interactions in the nucleus accumbens core and shell subregions (722) 168
Wiesenfeld-Hallin, Z., see Hao, J.-X. (722) 177
Winblad, B., see Pirttilä, T. (722) 71
Wisniewski, H.M., see Pirttilä, T. (722) 71

Xu, X.-J., see Hao, J.-X. (722) 177

Yokoi, H., see Tsuruo, Y. (722) 207
Yokosawa, H., see Akaishi, T. (722) 139
Yoshimura, N., see Masuyama, T. (722) 200
Yu, W., see Hao, J.-X. (722) 177

Zhao, X., see Maines, M.D. (722) 83
Zhou, J.-N., see Hofman, M.A. (722) 78